

SYMPTOM SURVEY FORM
(Restricted to Professional Use)

PATIENT _____ DOCTOR _____ DATE _____

AGE _____ PHONE (_____) _____ VEGETARIAN ____ Yes ____ No

INSTRUCTIONS: Circle the number that applies to you. **If symptom doesn't apply, leave blank.** Use **(1)** for **MILD** symptoms (occurs once or twice a month), **(2)** for **MODERATE** symptoms (occurs several times a month), and **(3)** for **SEVERE** symptoms (you are aware of it almost constantly).

GROUP ONE

- | | | |
|--|---|--|
| 1 - 1 2 3 Acid foods upset | 8 - 1 2 3 Gag easily | 15 - 1 2 3 Appetite reduced |
| 2 - 1 2 3 Get chilled, often | 9 - 1 2 3 Unable to relax; startles easily | 16 - 1 2 3 Cold sweats often |
| 3 - 1 2 3 "Lump" in throat | 10 - 1 2 3 Extremities cold, clammy | 17 - 1 2 3 Fever easily raised |
| 4 - 1 2 3 Dry mouth-eyes-nose | 11 - 1 2 3 Strong light irritates | 18 - 1 2 3 Neuralgia-like pains |
| 5 - 1 2 3 Pulse speeds after meal | 12 - 1 2 3 Urine amount reduced | 19 - 1 2 3 Staring, blinks little |
| 6 - 1 2 3 Keyed up – fail to calm | 13 - 1 2 3 Heart pounds after retiring | 20 - 1 2 3 Sour stomach frequent |
| 7 - 1 2 3 Cuts heal slowly | 14 - 1 2 3 "Nervous" stomach | |

GROUP TWO

- | | | |
|--|--|--|
| 21 - 1 2 3 Joint stiffness after arising | 29 - 1 2 3 Digestion rapid | 37 - 1 2 3 "Slow starter" |
| 22 - 1 2 3 Muscle-leg-toe cramps at night | 30 - 1 2 3 Vomiting frequent | 38 - 1 2 3 Get "chilled" infrequently |
| 23 - 1 2 3 "Butterfly" stomach, cramps | 31 - 1 2 3 Hoarseness frequent | 39 - 1 2 3 Perspire easily |
| 24 - 1 2 3 Eyes or nose watery | 32 - 1 2 3 Breathing irregular | 40 - 1 2 3 Circulation poor, sensitive to cold |
| 25 - 1 2 3 Eyes blink often | 33 - 1 2 3 Pulse slow; feels "irregular" | 41 - 1 2 3 Subject to colds, asthma, bronchitis |
| 26 - 1 2 3 Eyelids swollen, puffy | 34 - 1 2 3 Gagging reflex slow | |
| 27 - 1 2 3 Indigestion soon after meals | 35 - 1 2 3 Difficulty swallowing | |
| 28 - 1 2 3 Always seems hungry; feels "lightheaded" often | 36 - 1 2 3 Constipation, diarrhea alternating | |

GROUP THREE

- | | | |
|--|--|---|
| 42 - 1 2 3 Eat when nervous | 49 - 1 2 3 Heart palpitates if meals missed or delayed | 53 - 1 2 3 Crave candy or coffee in afternoons |
| 43 - 1 2 3 Excessive appetite | 50 - 1 2 3 Afternoon headaches | 54 - 1 2 3 Moods of depression – "blues" or melancholy |
| 44 - 1 2 3 Hungry between meals | 51 - 1 2 3 Overeating sweets upsets | 55 - 1 2 3 Abnormal craving for sweets or snacks |
| 45 - 1 2 3 Irritable before meals | 52 - 1 2 3 Awaken after few hours sleep – hard to get back to sleep | |
| 46 - 1 2 3 Get "shaky" if hungry | | |
| 47 - 1 2 3 Fatigue, eating relieves | | |
| 48 - 1 2 3 "Lightheaded" if meals delayed | | |

GROUP FOUR

- | | | |
|---|---|---|
| 56 - 1 2 3 Hands and feet go to sleep easily, numbness | 63 - 1 2 3 Get "drowsy" often | 68 - 1 2 3 Bruise easily, "black and blue" spots |
| 57 - 1 2 3 Sigh frequently, "air hunger" | 64 - 1 2 3 Swollen ankles worse at night | 69 - 1 2 3 Tendency to anemia |
| 58 - 1 2 3 Aware of "breathing heavily" | 65 - 1 2 3 Muscle cramps, worse during exercise, get "charley horses" | 70 - 1 2 3 "Nose bleeds" frequent |
| 59 - 1 2 3 High altitude discomfort | 66 - 1 2 3 Shortness of breath on exertion | 71 - 1 2 3 Noises in head, or "ringing in ears" |
| 60 - 1 2 3 Opens windows in closed room | 67 - 1 2 3 Dull pain in chest or radiating into left arm, worse on exertion. | 72 - 1 2 3 Tension under the breastbone, or feeling of "tightness" worse on exertion |
| 61 - 1 2 3 Susceptible to colds and fevers | | |
| 62 - 1 2 3 Afternoon "yawner" | | |

GROUP FIVE

- | | | |
|---|--|--|
| 73 - 1 2 3 Dizziness | 82 - 1 2 3 Worrier, feels insecure | 90 - 1 2 3 History of gallbladder attacks or gallstones |
| 74 - 1 2 3 Dry Skin | 83 - 1 2 3 Feeling queasy; headache over eyes | 91 - 1 2 3 Sneezing attacks |
| 75 - 1 2 3 Burning feet | 84 - 1 2 3 Greasy foods upset | 92 - 1 2 3 Dreaming, nightmare type bad dreams |
| 76 - 1 2 3 Blurred vision | 85 - 1 2 3 Stools light-colored
Skin peels on foot soles | 93 - 1 2 3 Bad breath (halitosis) |
| 77 - 1 2 3 Itching skin and feet | 86 - 1 2 3 Pain between shoulder blades | 94 - 1 2 3 Milk products cause distress |
| 78 - 1 2 3 Excessive falling hair | 87 - 1 2 3 Use laxatives | 95 - 1 2 3 Sensitive to hot weather |
| 79 - 1 2 3 Frequent skin rashes | 88 - 1 2 3 Stools alternate from soft to watery | 96 - 1 2 3 Burning or itching anus |
| 80 - 1 2 3 Bitter, metallic taste in mouth in mornings | 89 - 1 2 3 | 97 - 1 2 3 Crave sweets |
| 81 - 1 2 3 Bowel movements painful or difficult | | |

GROUP SIX

- | | | |
|--|---|--|
| 98 - 1 2 3 Loss of taste for meat | 101 - 1 2 3 Coated tongue | 104 - 1 2 3 Mucous colitis or “irritable bowel” |
| 99 - 1 2 3 Lower bowel gas several hours after eating | 102 - 1 2 3 Pass large amounts of foul-smelling gas | 105 - 1 2 3 Gas shortly after eating |
| 100 - 1 2 3 Burning stomach sensations, eating relieves | 103 - 1 2 3 Indigestion ½ - 1 hour after eating; may be up to 3 - 4 hrs. | 106 - 1 2 3 Stomach “bloating” after eating |

GROUP SEVEN

- | | | |
|---|--|---|
| (A) | (C) | (E) |
| 107 - 1 2 3 Insomnia | 137 - 1 2 3 Failing memory | 150 - 1 2 3 Dizziness |
| 108 - 1 2 3 Nervousness | 138 - 1 2 3 Low blood pressure | 151 - 1 2 3 Headaches |
| 109 - 1 2 3 Can't gain weight | 139 - 1 2 3 Increased sex drive | 152 - 1 2 3 Hot flashes |
| 110 - 1 2 3 Intolerance to heat | 140 - 1 2 3 Headaches, “splitting or rending” type | 153 - 1 2 3 Increased blood pressure |
| 111 - 1 2 3 Highly emotional | 141 - 1 2 3 Decreased sugar tolerance | 154 - 1 2 3 Hair growth on face or body (female) |
| 112 - 1 2 3 Flush easily | | 155 - 1 2 3 Sugar in urine (not diabetes) |
| 113 - 1 2 3 Night sweats | (D) | 156 - 1 2 3 Masculine tendencies (female) |
| 114 - 1 2 3 Thin, moist skin | 142 - 1 2 3 Abnormal thirst | (F) |
| 115 - 1 2 3 Inward trembling | 143 - 1 2 3 Bloating of abdomen | Weakness, dizziness |
| 116 - 1 2 3 Heart palpitates | 144 - 1 2 3 Weight gain around hips or waist | 157 - 1 2 3 Chronic fatigue |
| 117 - 1 2 3 Increased appetite without weight gain | 145 - 1 2 3 Sex drive reduced or lacking | 158 - 1 2 3 Low blood pressure |
| 118 - 1 2 3 Pulse fast at rest | 146 - 1 2 3 Tendency to ulcers, colitis | 159 - 1 2 3 Nails weak, ridged |
| 119 - 1 2 3 Eyelids and face twitch | 147 - 1 2 3 Increased sugar tolerance | 160 - 1 2 3 Tendency to hives |
| 120 - 1 2 3 Irritable and restless | 148 - 1 2 3 Women: menstrual disorders | 161 - 1 2 3 Arthritic tendencies |
| 121 - 1 2 3 Can't work under pressure | 149 - 1 2 3 Young girls: lack of menstrual function | 162 - 1 2 3 Perspiration increase |
| (B) | | 163 - 1 2 3 Bowel disorders |
| 122 - 1 2 3 Increase in weight | | 164 - 1 2 3 Poor circulation |
| 123 - 1 2 3 Decrease in appetite | | 165 - 1 2 3 Swollen ankles |
| 124 - 1 2 3 Fatigue easily | | 166 - 1 2 3 Crave salt |
| 125 - 1 2 3 Ringing in ears | | 167 - 1 2 3 Brown spots or bronzing of skin |
| 126 - 1 2 3 Sleepy during day | | 168 - 1 2 3 |
| 127 - 1 2 3 Sensitive to cold | | 169 - 1 2 3 Allergies – tendency to asthma |
| 128 - 1 2 3 Dry or scaly skin | | 170 - 1 2 3 Weakness after colds, influenza |
| 129 - 1 2 3 Constipation | | 171 - 1 2 3 Exhaustion – muscular and nervous |
| 130 - 1 2 3 Mental sluggishness | | 172 - 1 2 3 Respiratory disorders |
| 131 - 1 2 3 Hair coarse, falls out | | |
| 132 - 1 2 3 Headaches upon arising wear off during day | | |
| 133 - 1 2 3 Slow pulse, below 65 | | |
| 134 - 1 2 3 Frequency of urination | | |
| 135 - 1 2 3 Impaired hearing | | |
| 136 - 1 2 3 Reduced initiative | | |

GROUP EIGHT	FEMALE ONLY	MALE ONLY
173 - 1 2 3 Apprehension	200 - 1 2 3 Very easily fatigued	213 - 1 2 3 Prostate trouble
174 - 1 2 3 Irritability	201 - 1 2 3 Premenstrual tension	214 - 1 2 3 Urination difficult or dribbling
175 - 1 2 3 Morbid fears	202 - 1 2 3 Painful menses	215 - 1 2 3 Night urination frequent
176 - 1 2 3 Never seems to get well	203 - 1 2 3 Depressed feelings	216 - 1 2 3 Depression
177 - 1 2 3 Forgetfulness	204 - 1 2 3 Menstruation excessive and prolonged	217 - 1 2 3 Pain on inside of legs or heels
178 - 1 2 3 Indigestion	205 - 1 2 3 Painful breasts	218 - 1 2 3 Feeling of incomplete bowel evacuation
179 - 1 2 3 Poor appetite	206 - 1 2 3 Menstruate too frequently	219 - 1 2 3 Lack of energy
180 - 1 2 3 Craving for sweets	207 - 1 2 3 Vaginal discharge	220 - 1 2 3 Migrating aches and pains
181 - 1 2 3 Muscular soreness	208 - 1 2 3 Hysterectomy/ovaries removed	221 - 1 2 3 Tire too easily
182 - 1 2 3 Depression; feelings of dread	209 - 1 2 3 Menopausal hot flashes	222 - 1 2 3 Avoids activity
183 - 1 2 3 Noise sensitivity	210 - 1 2 3 Menses scanty or missed	223 - 1 2 3 Leg nervousness at night
184 - 1 2 3 Acoustic hallucinations	211 - 1 2 3 Acne, worse at menses	224 - 1 2 3 Diminished sex drive
185 - 1 2 3 Tendency to cry without reason	212 - 1 2 3 Depression of long standing	
186 - 1 2 3 Hair is coarse and/or thinning		
187 - 1 2 3 Weakness		
188 - 1 2 3 Fatigue		
189 - 1 2 3 Skin sensitive to touch		
190 - 1 2 3 Tendency toward hives		
191 - 1 2 3 Nervousness		
192 - 1 2 3 Headache		
193 - 1 2 3 Insomnia		
194 - 1 2 3 Anxiety		
195 - 1 2 3 Anorexia		
196 - 1 2 3 Inability to concentrate; confusion		
197 - 1 2 3 Frequent stuffy nose; sinus infections		
198 - 1 2 3 Allergy to some foods		
199 - 1 2 3 Loose joints		

IMPORTANT

TO THE PATIENT: Please list below the five main physical and or health complaints you have in order of their importance:

1. _____
2. _____
3. _____
4. _____
5. _____

(TO BE COMPLETED BY DOCTOR)

Postural Blood Pressure: Recumbent _____ Standing _____	Pulse _____
Hema-Combistix Urine readings: pH _____ Albumin per cent _____	Glucose per cent _____
Occult Blood _____ pH of Saliva _____ pH of Stool specimen _____	Weight _____
Hemoglobin _____ Blood Clotting Time _____	

BARNES THYROID TEST

This test was developed by Dr. Broda Barnes, M.D. and is a measurement of the underarm temperature to determine hypo and hyperthyroid states. The test is conducted by the patient in the a.m. before leaving bed - with the temperature being taken for 10 minutes. The test is invalidated if the patient expends any energy prior to taking the test - getting up for any reason, shaking down the thermometer, etc. It is important that the test be conducted for exactly 10 minutes, making the prior positioning of both the thermometer and a clock important.

PRE-MENSES FEMALES AND MENOPAUSAL FEMALES

Any two days during the month

FEMALES HAVING MENSTRUAL CYCLES

The 2nd and 3rd day of flow OR any 5 days in a row.

MALES

Any 2 days during the month.

You can do the following test at home to see if you may have a functional low thyroid. Use an oral thermometer or a digital one. When you use a digital one, place the probe under your arm for 5 minutes then turn your machine on; continue on for an additional 5 minutes. When using a regular one, shake down the night before.

Date: _____	Temperature: _____
Date: _____	Temperature: _____
Date: _____	Temperature: _____
Date: _____	Temperature: _____
Date: _____	Temperature: _____
Date: _____	Temperature: _____

BP SIT _____
 PULSE SIT _____
 SALIVA PH _____

BP STAND _____
 PULSE STAND _____
 BLOOD TYPE _____